

Oxygen concentration alters mitochondrial structure and function in *in vitro* fertilized preimplantation mouse embryos

Manuel Belli^{1,2,†}, Ling Zhang^{2,3,†}, Xiaowei Liu²,
Annemarie Donjacour², Elena Ruggeri², Maria Grazia Palmerini¹,
Stefania Annarita Nottola^{4,*}, Guido Macchiarelli^{1,*}, Paolo Rinaudo^{2,*}

¹Department of Life, Health and Environmental Sciences, University of L'Aquila, L'Aquila, Italy ²Center for Reproductive Sciences, Department of Obstetrics and Gynecology, University of California San Francisco, San Francisco, CA, USA ³Family Planning Research Institute and Center for Reproductive Medicine, Tongji Medical College, Huazhong University of Science and Technology, Wuhan, P. R. China ⁴Department of Anatomy, Histology, Forensic Medicine and Orthopaedics, La Sapienza University of Rome, Rome, Italy

*Correspondence address. E-mail: stefania.nottola@uniroma1.it (S.A.N.); E-mail: gmacchiarelli@univaq.it (G.M.); E-mail: Paolo.rinaudo@ucsf.edu (P.R.)

Hum Reprod 2019;34:601–611

The following articles initially published online showing incorrect first publication dates. This has now been corrected.

The full funding statement should read:

The study was funded by the Eunice Kennedy Shriver National Institute of Child Health and Human Development (NICHD) of the National Institutes of Health (R01GM987654) to PR, the Department of

Life, Health and Environmental Sciences, University of L'Aquila, Italy (RIA 2016–2018) and the Department of Anatomy, Histology, Forensic Medicine and Orthopaedics, La Sapienza University of Rome, Italy (University grants 2016–2017).

The electronic version of this article has been updated at <https://doi.org/10.1093/humrep/dez011>.